EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(tabu near3 toshiyuki).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 12:48
S2	4388	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:02
S3	3408	370/389.ccls. and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:03
S4	1258	370/389.ccls. and rout$3 and identif$6 and deci$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:04
S5	241	370/389.ccls. and rout$3 and identif$6 and deci$4 and sort$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:05
S6	188	370/389.ccls. and rout$3 and identif$6 and deci$4 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:28
S7	64	virtual adj3 rout$3 and identif$6 and classif$6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:33
S8	3876	rout$3 and identif$6 and classif $6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:01
S9	105	rout$3 and (identif$6 with (packet adj2 type)) and classif $6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:52

S10	11	(identif$6 with (packet adj2 type)) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:56
S11	4039	(identif$6 with (packet near4 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:57
S12	2865	(identif$6 with (packet near4 type)) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:57
S13	325	(identif$6 with (packet near4 type)) and rout$3 and ((create or attach or add) near4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:14
S15	7509	cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:15
S16	30	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:55
S17	30	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:59
S18	11	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header) and IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:06
S19	30	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:07
S20	1168	(extract$3 or read$3) with header and (determin$5 or identif$6) with (packet near3 type) and (sort$3 wit header) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:07
S22	878	S20 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:02

S23	14	(US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did.	US-PGPUB; USPAT	OR	ON	2007/04/26 08:54
S24	4	S23 and IPv6 and IPv4	US-PGPUB; USPAT	OR	ON	2007/04/25 15:16
S25	10	S23 and packet adj2 type	US-PGPUB; USPAT	OR	ON	2007/04/25 15:35
S27	2	S23 and sort$3	US-PGPUB; USPAT	OR	ON	2007/04/25 15:36
S28	2	"7012890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 07:35
S29	1	("7012890").URPN.	USPAT	OR	ON	2007/04/26 07:36
S30	4	("20030002438" | "20030043802" | "5809012" | "6788683").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/26 07:37
S31	14	(US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did. and (packet near2 type)	US-PGPUB; USPAT	OR	ON	2007/04/26 09:00

S33	13	((US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did.) and (packet near2 type)	US-PGPUB; USPAT	OR	ON	2007/04/26 10:30
S34	1	"5434863".pn.	US-PGPUB; USPAT	OR	ON	2007/04/26 10:31
S35	121	rout$3 and identif$6 and classif $6 and sort$3 and (add adj2 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:15
S36	91	S35 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:18
S37	145	rout$3 and (identif$6 or extract $3 or filter$3) and sort$3 and (add adj2 header) and (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:17
S38	103	S37 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:11
S39	2948	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:05
S41	72	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:03
S42	70	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:15

S43	31	(create or add) near5 header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:35
S44	67	(creat$3 or add$3) near5 header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:20
S45	0	(create or add) near5 (header same ((based or according) near5(packet near S30 type))) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:37
S46	1	(create or add) near5 header same ((based or according) near5(packet near S30 type)) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:39
S47	26	(create or add) near5 header same ((based or according) near5(packet near S30 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:44
S49	11953	(create or add or attach) with header and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:46
S50	59	((create or add or attach) with (internal adj2 header)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:10
S52	0	((create or add or attach) with ((internal adj2 header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:11
S53	24	((create or add or attach) with ((header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:11
S54	2011	((creat$3 or add$3 or attach$3) with header) with (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:07

S55	439	((creat$3 or add$3 or attach$3) with header) with (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:47
S57	82	((creat$3 or add$3 or attach$3) with header) with (packet near3 type) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 15:02
S58	167	((creat$3 or add$3 or attach$3) with header) with (packet near3 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:28
S59	724	header adj2 generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:28
S60	565	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:29
S61	257	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:29
S62	110	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3 and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:32
S63	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3 and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:32
S64	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:33
S65	155	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:36

S66	1	((header adj2 generator) with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:37
S67	2067	(header with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:38
S68	1423	(header with discard$3)and (@ad<="20020917" or @rlad<="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:38
S69	7	((internal adj2 header) with discard$3)and (@ad<="20020917" or @rlad<="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:43
S70	7	((internal adj2 header) with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:45
S71	10	((added adj2 header) with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:46
S72	6	"090285".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:25
S73	2	"6628653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 10:07
S74	19	(US-20060209840-$ or US-20040039986-$ or US-20020012348-$ or US-20010028650-$ or US-20040185889-$ or US-20030002438-$ or US-20020009079-$ or US-20060114924-$ or US-20030002506-$ or US-20040228274-$ or US-20030081546-$ or US-20020073215-$ or US-20020141403-$ or US-20060251048-$ or US-20050190713-$ or US-20040052260-$).did. or (US-	US-PGPUB; USPAT	OR	ON	2007/10/03 10:09

		6865185-$ or US-7177276-$ or US-6628653-$).did.				
S75	11	S74 and packet adj type	US-PGPUB; USPAT	OR	ON	2007/10/03 10:30
S76	8	packet adj type with (prescribed fixed) adj2 position	US-PGPUB; USPAT	OR	ON	2007/10/03 10:30
S77	20	(US-20060209840-$ or US-20040039986-$ or US-20020012348-$ or US-20010028650-$ or US-20040185889-$ or US-20030002438-$ or US-20020009079-$ or US-20060114924-$ or US-20030002506-$ or US-20040228274-$ or US-20030081546-$ or US-20020073215-$ or US-20020141403-$ or US-20060251048-$ or US-20050190713-$ or US-20040052260-$ or US-20050086353-$).did. or (US-6865185-$ or US-7177276-$ or US-6628653-$).did.	US-PGPUB; USPAT	OR	ON	2008/05/07 09:30
S78	14	S77 and packet near3 (length size)	US-PGPUB; USPAT	OR	ON	2008/05/07 09:30
S79	1756	(packet adj type) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 10:29
S80	20	(packet adj type) with field with (look$3 search$3 idntify$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 10:30
S82	11	S80 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 10:31
S85	39	(identif$6 search$3 look$3) with (packet adj2 type) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:00
S86	142	(packet adj2 type) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:15

S87	57	S86 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:15
S88	2559	(identif$6 search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:29
S89	2	(continu$3) with (search$3 look $3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:43
S90	2	(continu$3 loop$3) with (search $3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:44
S91	3	(continu$3 loop$3 keep$3) with (search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:45
S92	181	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:48
S93	0	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with (different another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:53
S94	6	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with (different another)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:53
S95	4	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with tag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:57
S96	2140	(search$3 look$3) with first near3 (field position) with (second another)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:59
S97	19	S96 and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:00

S98	159	S96 and ("370" "709").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:11
S99	117	S98 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:11
S100	722	(tagged untagged) and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:25
S101	276	S88 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:25
S102	233	S101 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:26
S103	178	S102 and ("370" "709").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:26
S104	6	(search$3 look$3) with (packet adj2 type) with (first second another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:32
S105	11721	(search$3 look$3) with (one first second another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:36
S106	0	(search$3 look$3) with (one first second another) with field with "not" with found	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:37
S107	504	(search$3 look$3) with (one first second another) with field with found	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:37
S108	364	S107 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:37

S109	59	S108 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:46
S110	2	S108 and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:55
S111	28	(identif$6 search$3 look$3) with (packet adj2 type) with (IPv6 and IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:05
S112	4	S111 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:05
S113	3	(packet adj2 type) with (tagged and untagged)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:11
S114	27	(search$3 look$3) with (one first second another) with (field position) with found with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:31
S115	12	S114 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:32
S116	97811	"not" near3 found with (look$3 search$3) with another (position field) with (continue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:37
S117	0	("not" near3 found)with (look $3 search$3) with another with (position field) with (continue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:38
S118	0	("not" near3 type)with (look$3 search$3) with another with (position field) with (continue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:38
S119	0	("not" near3 type) with (look$3 search$3) with another with (position field) with (continue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:38

S120	0	type with (look$3 search$3) with another with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:39
S121	18	type with (look$3 search$3) with (another other) with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:39
S122	9	parameter with (look$3 search $3) with (another other) with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:41
S123	1397	(determin$3) with packet adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:42
S124	895	S123 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:43
S126	422	S124 and (ANOTHER DIFFERENT second) with (field position byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:46
S127	47	S126 and different adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:57
S128	0	"2000610071028".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 17:31

5/8/2008 12:49:00 PM
C:\ Documents and Settings\ gvianadiprisco\ My Documents\ EAST\ Workspaces\ 10656260.wsp